



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
4 x 3	0,09	■			4 x 3
5 x 3	0,12	■			5 x 3
6 x 2	0,09	■			6 x 2
6 x 3	0,14	■			6 x 3
6 x 4	0,19	■			6 x 4
8 x 2	0,13	■			8 x 2
8 x 3	0,19	■			8 x 3
8 x 4	0,25	■			8 x 4
8 x 5	0,31	■			8 x 5
8 x 6	0,38	■			8 x 6
8 x 7	0,44	■			8 x 7
10 x 1	0,08	■			10 x 1
10 x 2	0,16	■			10 x 2
10 x 3	0,24	■			10 x 3
10 x 4	0,31	■			10 x 4
10 x 5	0,39	■			10 x 5
10 x 6	0,47	■			10 x 6
10 x 8	0,63	■			10 x 8
12 x 2	0,19	■			12 x 2
12 x 3	0,28	■			12 x 3
12 x 4	0,38	■			12 x 4
12 x 5	0,47	■			12 x 5
12 x 6	0,57	■			12 x 6
12 x 8	0,75	■			12 x 8
12 x 10	0,94	■			12 x 10
14 x 2	0,22	■			14 x 2
14 x 3	0,33	■			14 x 3
14 x 4	0,44	■			14 x 4
14 x 5	0,55	■			14 x 5
14 x 6	0,66	■			14 x 6
14 x 8	0,88	■			14 x 8
14 x 10	1,10	■			14 x 10
15 x 2	0,24	■			15 x 2
15 x 3	0,35	■			15 x 3
15 x 4	0,47	■			15 x 4
15 x 5	0,59	■			15 x 5
15 x 6	0,71	■			15 x 6
15 x 8	0,94	■			15 x 8
15 x 10	1,18	■			15 x 10
15 x 12	1,41	■			15 x 12

NETTLLENBUSCH & SYROWY STAHLHANDELSGESELLSCHAFT E.K.

Anna-Zammert-Str. 17 (Am Südbahnhof 30)
30171 Hannover

SYROSTAHL



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
15 x 1,50	0,13	■			15 x 1,50
16 x 2	0,25	■			16 x 2
16 x 3	0,38	■			16 x 3
16 x 4	0,50	■			16 x 4
16 x 5	0,63	■			16 x 5
16 x 6	0,75	■			16 x 6
16 x 8	1,00	■			16 x 8
16 x 10	1,26	■			16 x 10
16 x 12	1,51	■			16 x 12
18 x 2	0,28	■			18 x 2
18 x 3	0,42	■			18 x 3
18 x 4	0,57	■			18 x 4
18 x 5	0,71	■			18 x 5
18 x 6	0,85	■			18 x 6
18 x 8	1,13	■			18 x 8
18 x 10	1,41	■			18 x 10
18 x 12	1,70	■			18 x 12
20 x 1	0,16	■			20 x 1
20 x 2	0,31	■			20 x 2
20 x 3	0,47	■			20 x 3
20 x 4	0,63	■			20 x 4
20 x 5	0,79	■	■		20 x 5
20 x 6	0,94	■	■		20 x 6
20 x 8	1,26	■			20 x 8
20 x 10	1,57	■	■		20 x 10
20 x 12	1,88	■			20 x 12
20 x 15	2,36	■	■		20 x 15
20 x 16	2,51	■			20 x 16
20 x 1,50	0,24	■			20 x 1,50
22 x 3	0,52	■			22 x 3
22 x 5	0,86	■			22 x 5
22 x 6	1,04	■			22 x 6
22 x 8	1,38	■			22 x 8
22 x 10	1,73	■			22 x 10
22 x 12	2,07	■			22 x 12
22 x 16	2,76	■			22 x 16
25 x 2	0,39	■			25 x 2
25 x 3	0,59	■			25 x 3
25 x 4	0,79	■			25 x 4
25 x 5	0,98	■	■		25 x 5



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
25 x 6	1,18	■	■		25 x 6
25 x 8	1,57	■	■		25 x 8
25 x 10	1,96	■	■		25 x 10
25 x 12	2,36	■	■		25 x 12
25 x 15	2,94	■	■		25 x 15
25 x 16	3,14	■	■		25 x 16
25 x 18	3,53	■			25 x 18
25 x 20	3,93	■			25 x 20
28 x 3	0,66	■			28 x 3
28 x 5	1,10	■			28 x 5
28 x 6	1,32	■			28 x 6
28 x 8	1,76	■			28 x 8
28 x 10	2,20	■			28 x 10
28 x 12	2,64	■			28 x 12
28 x 16	3,52	■			28 x 16
28 x 20	4,40	■			28 x 20
30 x 2	0,47	■			30 x 2
30 x 3	0,71	■			30 x 3
30 x 4	0,94	■			30 x 4
30 x 5	1,18	■	■		30 x 5
30 x 6	1,41	■	■		30 x 6
30 x 8	1,88	■	■		30 x 8
30 x 10	2,36	■	■		30 x 10
30 x 12	2,83	■	■		30 x 12
30 x 15	3,53	■	■		30 x 15
30 x 16	3,77	■			30 x 16
30 x 18	4,24	■			30 x 18
30 x 20	4,71	■	■		30 x 20
30 x 22	5,18	■			30 x 22
30 x 25	5,89	■			30 x 25
32 x 5	1,26	■			32 x 5
32 x 6	1,51	■			32 x 6
32 x 8	2,01	■			32 x 8
32 x 10	2,51	■			32 x 10
32 x 12	3,01	■			32 x 12
32 x 16	4,02	■			32 x 16
32 x 20	5,02	■			32 x 20
32 x 25	6,28	■			32 x 25
35 x 2	0,55	■			35 x 2
35 x 3	0,82	■			35 x 3

NETTLENBUSCH & SYROWY STAHLHANDELSGESELLSCHAFT E.K.

Anna-Zammert-Str. 17 (Am Südbahnhof 30)
30171 Hannover

SYROSTAHL



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
35 x 4	1,10	■			35 x 4
35 x 5	1,37	■			35 x 5
35 x 6	1,65	■			35 x 6
35 x 8	2,20	■			35 x 8
35 x 10	2,75	■			35 x 10
35 x 12	3,30	■	■		35 x 12
35 x 15	4,12	■			35 x 15
35 x 16	4,40	■			35 x 16
35 x 18	4,95	■			35 x 18
35 x 20	5,50	■			35 x 20
35 x 25	6,87	■	■		35 x 25
35 x 30	8,24	■			35 x 30
36 x 8	2,26	■			36 x 8
36 x 20	5,65	■			36 x 20
40 x 2	0,63	■			40 x 2
40 x 3	0,94	■			40 x 3
40 x 4	1,26	■			40 x 4
40 x 5	1,57	■	■		40 x 5
40 x 6	1,88	■	■		40 x 6
40 x 8	2,51	■	■		40 x 8
40 x 10	3,14	■	■		40 x 10
40 x 12	3,77	■	■		40 x 12
40 x 14	4,40	■			40 x 14
40 x 15	4,71	■	■		40 x 15
40 x 16	5,02	■			40 x 16
40 x 18	5,65	■			40 x 18
40 x 20	6,28	■	■		40 x 20
40 x 22	6,91	■			40 x 22
40 x 25	7,85	■	■		40 x 25
40 x 30	9,42	■	■		40 x 30
40 x 32	10,05	■			40 x 32
40 x 35	10,99	■			40 x 35
45 x 2	0,71	■			45 x 2
45 x 3	1,06	■			45 x 3
45 x 4	1,41	■			45 x 4
45 x 5	1,77	■			45 x 5
45 x 6	2,12	■			45 x 6
45 x 8	2,83	■	■		45 x 8
45 x 10	3,53	■	■		45 x 10
45 x 12	4,24	■			45 x 12



Blanker Flachstahl Toleranzen DIN 174


17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
45 x 15	5,30	■	■		45 x 15
45 x 16	5,65	■			45 x 16
45 x 18	6,36	■			45 x 18
45 x 20	7,06	■	■		45 x 20
45 x 25	8,83	■			45 x 25
45 x 30	10,60	■			45 x 30
50 x 3	1,18	■			50 x 3
50 x 4	1,57	■			50 x 4
50 x 5	1,96	■	■		50 x 5
50 x 6	2,36	■	■		50 x 6
50 x 8	3,14	■	■		50 x 8
50 x 10	3,93	■	■		50 x 10
50 x 12	4,71	■	■		50 x 12
50 x 15	5,89	■	■		50 x 15
50 x 16	6,28	■			50 x 16
50 x 18	7,06	■			50 x 18
50 x 20	7,85	■	■		50 x 20
50 x 25	9,81	■	■		50 x 25
50 x 30	11,78	■	■		50 x 30
50 x 32	12,56	■			50 x 32
50 x 35	13,74	■			50 x 35
50 x 40	15,70	■	■		50 x 40
55 x 5	2,16	■			55 x 5
55 x 6	2,59	■			55 x 6
55 x 8	3,45	■			55 x 8
55 x 10	4,32	■			55 x 10
55 x 12	5,18	■			55 x 12
55 x 15	6,48	■			55 x 15
55 x 20	8,64	■			55 x 20
55 x 25	10,79	■			55 x 25
55 x 30	12,95	■			55 x 30
60 x 3	1,41	■			60 x 3
60 x 4	1,88	■			60 x 4
60 x 5	2,36	■			60 x 5
60 x 6	2,83	■	■		60 x 6
60 x 8	3,77	■	■		60 x 8
60 x 10	4,71	■	■		60 x 10
60 x 12	5,65	■	■		60 x 12
60 x 15	7,06	■	■		60 x 15
60 x 16	7,54	■			60 x 16

NETTLENBUSCH & SYROWY STAHLHANDELSGESELLSCHAFT E.K.

Anna-Zammert-Str. 17 (Am Südbahnhof 30)
30171 Hannover

SYROSTAHL



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
60 x 18	8,48	■			60 x 18
60 x 20	9,42	■	■		60 x 20
60 x 25	11,78	■	■		60 x 25
60 x 30	14,13	■	■		60 x 30
60 x 35	16,49	■			60 x 35
60 x 40	18,84	■	■		60 x 40
60 x 50	23,55	■	■		60 x 50
63 x 16	7,91	■			63 x 16
63 x 32	15,83	■			63 x 32
65 x 5	2,55	■			65 x 5
65 x 6	3,06	■			65 x 6
65 x 8	4,08	■			65 x 8
65 x 10	5,10	■			65 x 10
65 x 12	6,12	■			65 x 12
65 x 15	7,65	■			65 x 15
65 x 16	8,16	■			65 x 16
65 x 20	10,21	■			65 x 20
65 x 25	12,76	■			65 x 25
70 x 3	1,65	■			70 x 3
70 x 4	2,20	■			70 x 4
70 x 5	2,75	■			70 x 5
70 x 6	3,30	■			70 x 6
70 x 8	4,40	■			70 x 8
70 x 10	5,50	■	■		70 x 10
70 x 12	6,59	■			70 x 12
70 x 15	8,24	■	■		70 x 15
70 x 16	8,79	■			70 x 16
70 x 20	10,99	■	■		70 x 20
70 x 25	13,74	■			70 x 25
70 x 30	16,49	■	■		70 x 30
70 x 40	21,98	■	■		70 x 40
70 x 50	27,48	■	■		70 x 50
75 x 5	2,94	■			75 x 5
75 x 6	3,53	■			75 x 6
75 x 8	4,71	■			75 x 8
75 x 10	5,89	■			75 x 10
75 x 12	7,06	■			75 x 12
75 x 15	8,83	■			75 x 15
80 x 3	1,88	■			80 x 3
80 x 4	2,51	■			80 x 4



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
80 x 5	3,14	■			80 x 5
80 x 6	3,77	■			80 x 6
80 x 8	5,02	■	■		80 x 8
80 x 10	6,28	■	■		80 x 10
80 x 12	7,54	■	■		80 x 12
80 x 15	9,42	■	■		80 x 15
80 x 16	10,05	■			80 x 16
80 x 18	11,30	■			80 x 18
80 x 20	12,56	■	■		80 x 20
80 x 25	15,70	■	■		80 x 25
80 x 30	18,84	■	■		80 x 30
80 x 32	20,10	■			80 x 32
80 x 35	21,98	■			80 x 35
80 x 40	25,12	■	■		80 x 40
80 x 50	31,40	■	■		80 x 50
80 x 60	37,68	■			80 x 60
90 x 4	2,83	■			90 x 4
90 x 5	3,53	■			90 x 5
90 x 6	4,24	■			90 x 6
90 x 8	5,65	■			90 x 8
90 x 10	7,06	■			90 x 10
90 x 12	8,48	■			90 x 12
90 x 15	10,60	■			90 x 15
90 x 20	14,13	■			90 x 20
90 x 25	17,66	■			90 x 25
90 x 30	21,20	■	■		90 x 30
90 x 40	28,26	■			90 x 40
90 x 50	35,33	■	■		90 x 50
100 x 4	3,14	■			100 x 4
100 x 5	3,93	■			100 x 5
100 x 6	4,71	■	■		100 x 6
100 x 8	6,28	■	■		100 x 8
100 x 10	7,85	■	■		100 x 10
100 x 12	9,42	■	■		100 x 12
100 x 15	11,78	■	■		100 x 15
100 x 16	12,56	■			100 x 16
100 x 20	15,70	■	■		100 x 20
100 x 25	19,63	■	■		100 x 25
100 x 30	23,55	■	■		100 x 30
100 x 35	27,48	■			100 x 35

NETTLENBUSCH & SYROWY STAHLHANDELSGESELLSCHAFT E.K.

Anna-Zammert-Str. 17 (Am Südbahnhof 30)
30171 Hannover

SYROSTAHL



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
100 x 40	31,40	■	■		100 x 40
100 x 50	39,25	■	■		100 x 50
100 x 60	47,10	■			100 x 60
110 x 5	4,32	■			110 x 5
110 x 8	6,91	■			110 x 8
110 x 10	8,64	■	■		110 x 10
110 x 12	10,36	■			110 x 12
110 x 15	12,95	■			110 x 15
110 x 20	17,27	■			110 x 20
120 x 5	4,71	■			120 x 5
120 x 6	5,65	■			120 x 6
120 x 8	7,54	■	■		120 x 8
120 x 10	9,42	■	■		120 x 10
120 x 12	11,30	■			120 x 12
120 x 15	14,13	■	■		120 x 15
120 x 16	15,07	■			120 x 16
120 x 20	18,84	■	■		120 x 20
120 x 25	23,55	■			120 x 25
120 x 30	28,26	■	■		120 x 30
120 x 40	37,68	■	■		120 x 40
120 x 50	47,10	■			120 x 50
120 x 60	56,52	■			120 x 60
125 x 10	9,81	■			125 x 10
125 x 15	14,72	■			125 x 15
125 x 20	19,63	■			125 x 20
125 x 25	24,53	■			125 x 25
125 x 40	39,25	■			125 x 40
130 x 8	8,16	■			130 x 8
130 x 10	10,21	■			130 x 10
130 x 12	12,25	■			130 x 12
130 x 15	15,31	■			130 x 15
130 x 20	20,41	■			130 x 20
130 x 25	25,51	■			130 x 25
130 x 30	30,62	■			130 x 30
140 x 6	6,59	■			140 x 6
140 x 8	8,79	■			140 x 8
140 x 10	10,99	■			140 x 10
140 x 12	13,19	■			140 x 12
140 x 15	16,49	■			140 x 15
140 x 20	21,98	■			140 x 20



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JRG2 St 37	C45/Wn1.0503 C 45		Abmessung mm
140 x 25	27,48	■			140 x 25
140 x 30	32,97	■			140 x 30
140 x 40	43,96	■			140 x 40
150 x 5	5,89	■			150 x 5
150 x 6	7,06	■			150 x 6
150 x 8	9,42	■			150 x 8
150 x 10	11,78	■	■		150 x 10
150 x 12	14,13	■			150 x 12
150 x 15	17,66	■	■		150 x 15
150 x 20	23,55	■	■		150 x 20
150 x 25	29,44	■	■		150 x 25
150 x 30	35,33	■			150 x 30
150 x 40	47,10	■	■		150 x 40
150 x 50	58,88	■			150 x 50
150 x 60	70,65	■			150 x 60
160 x 8	10,05	■			160 x 8
160 x 10	12,56	■			160 x 10
160 x 12	15,07	■			160 x 12
160 x 15	18,84	■			160 x 15
160 x 20	25,12	■			160 x 20
160 x 25	31,40	■			160 x 25
160 x 30	37,68	■			160 x 30
160 x 40	50,24	■			160 x 40
180 x 6	8,48	■			180 x 6
180 x 8	11,30	■			180 x 8
180 x 10	14,13	■	■		180 x 10
180 x 12	16,96	■			180 x 12
180 x 15	21,20	■			180 x 15
180 x 20	28,26	■			180 x 20
180 x 25	35,33	■			180 x 25
180 x 30	42,39	■	■		180 x 30
180 x 40	56,52	■			180 x 40
200 x 6	9,42	■			200 x 6
200 x 8	12,56	■			200 x 8
200 x 10	15,70	■	■		200 x 10
200 x 12	18,84	■			200 x 12
200 x 15	23,55	■	■		200 x 15
200 x 20	31,40	■	■		200 x 20
200 x 25	39,25	■	■		200 x 25
200 x 30	47,10	■	■		200 x 30

NETTLENBUSCH & SYROWY STAHLHANDELSGESELLSCHAFT E.K.

Anna-Zammert-Str. 17 (Am Südbahnhof 30)
30171 Hannover

SYROSTAHL



Blanker Flachstahl Toleranzen DIN 174

17.03.2017

Abmessung mm	kg/m	St37/S235JR2 St 37	C45/Wn1.0503 C 45		Abmessung mm
200 x 40	62,80	■	■		200 x 40
200 x 50	78,50	■			200 x 50
250 x 10	19,63	■			250 x 10
250 x 12	23,55	■			250 x 12
250 x 15	29,44	■	■		250 x 15
250 x 20	39,25	■			250 x 20
250 x 25	49,06	■			250 x 25
250 x 30	58,88	■			250 x 30
250 x 40	78,50	■			250 x 40
250 x 50	98,13	■			250 x 50
300 x 10	23,55	■			300 x 10
300 x 12	28,26	■			300 x 12
300 x 15	35,33	■			300 x 15
300 x 20	47,10	■			300 x 20
300 x 25	58,88	■			300 x 25
300 x 30	70,65	■			300 x 30
300 x 40	94,20	■			300 x 40
300 x 50	117,75	■			300 x 50
350 x 10	27,48	■			350 x 10
350 x 12	32,97	■			350 x 12
350 x 15	41,21	■			350 x 15
350 x 20	54,95	■			350 x 20
350 x 25	68,69	■			350 x 25
350 x 30	82,43	■			350 x 30
350 x 40	109,90	■			350 x 40
350 x 50	137,38	■			350 x 50
400 x 10	31,40	■			400 x 10
400 x 15	47,10	■			400 x 15
400 x 20	62,80	■			400 x 20
400 x 25	78,50	■			400 x 25
400 x 30	94,20	■			400 x 30
400 x 40	125,60	■			400 x 40
400 x 50	157,00	■			400 x 50