



Rost- und säurebest. blanker Flachstahl DIN 174

09.11.2017

Abmessung mm	kg/m	Wn. 1.4301 X5CrNi18-10				Abmessung mm
10 x 3	0,24	■				10 x 3
10 x 4	0,32	■				10 x 4
10 x 5	0,40	■				10 x 5
10 x 6	0,47	■				10 x 6
12 x 3	0,28	■				12 x 3
12 x 5	0,47	■				12 x 5
15 x 3	0,36	■				15 x 3
15 x 4	0,47	■				15 x 4
15 x 5	0,59	■				15 x 5
15 x 6	0,71	■				15 x 6
15 x 8	0,95	■				15 x 8
15 x 10	1,19	■				15 x 10
20 x 3	0,47	■				20 x 3
20 x 4	0,63	■				20 x 4
20 x 5	0,79	■				20 x 5
20 x 6	0,95	■				20 x 6
20 x 8	1,26	■				20 x 8
20 x 10	1,58	■				20 x 10
20 x 12	1,90	■				20 x 12
20 x 15	2,37	■				20 x 15
25 x 3	0,59	■				25 x 3
25 x 4	0,79	■				25 x 4
25 x 5	0,99	■				25 x 5
25 x 6	1,19	■				25 x 6
25 x 8	1,58	■				25 x 8
25 x 10	1,98	■				25 x 10
25 x 12	2,37	■				25 x 12
25 x 15	2,96	■				25 x 15
30 x 3	0,71	■				30 x 3
30 x 4	0,95	■				30 x 4
30 x 5	1,19	■				30 x 5
30 x 6	1,42	■				30 x 6
30 x 8	1,90	■				30 x 8
30 x 10	2,37	■				30 x 10
30 x 12	2,84	■				30 x 12
30 x 15	3,56	■				30 x 15
30 x 20	4,74	■				30 x 20
35 x 5	1,38	■				35 x 5
35 x 6	1,66	■				35 x 6
35 x 8	2,21	■				35 x 8



Rost- und säurebest. blanker Flachstahl DIN 174

09.11.2017

Abmessung mm	kg/m	Wn. 1.4301 X5CrNi18-10				Abmessung mm
35 x 10	2,77	■				35 x 10
35 x 12	3,32	■				35 x 12
35 x 15	4,15	■				35 x 15
35 x 20	5,53	■				35 x 20
40 x 3	0,95	■				40 x 3
40 x 4	1,26	■				40 x 4
40 x 5	1,58	■				40 x 5
40 x 6	1,90	■				40 x 6
40 x 8	2,53	■				40 x 8
40 x 10	3,16	■				40 x 10
40 x 12	3,79	■				40 x 12
40 x 15	4,74	■				40 x 15
40 x 20	6,32	■				40 x 20
40 x 25	7,90	■				40 x 25
40 x 30	9,48	■				40 x 30
45 x 8	2,84	■				45 x 8
45 x 10	3,56	■				45 x 10
45 x 12	4,27	■				45 x 12
50 x 3	1,19	■				50 x 3
50 x 4	1,58	■				50 x 4
50 x 5	1,98	■				50 x 5
50 x 6	2,37	■				50 x 6
50 x 8	3,16	■				50 x 8
50 x 10	3,95	■				50 x 10
50 x 12	4,74	■				50 x 12
50 x 15	5,93	■				50 x 15
50 x 20	7,90	■				50 x 20
50 x 30	11,85	■				50 x 30
60 x 5	2,37	■				60 x 5
60 x 6	2,37	■				60 x 6
60 x 8	3,79	■				60 x 8
60 x 10	4,74	■				60 x 10
60 x 12	5,69	■				60 x 12
60 x 15	7,11	■				60 x 15
60 x 20	9,48	■				60 x 20
60 x 30	14,22	■				60 x 30
70 x 5	2,77	■				70 x 5
70 x 6	3,32	■				70 x 6
70 x 8	4,42	■				70 x 8
70 x 10	5,53	■				70 x 10



Rost- und säurebest. blanker Flachstahl DIN 174

09.11.2017

Abmessung mm	kg/m	Wn. 1.4301 X5CrNi18-10				Abmessung mm
70 x 12	6,64	■				70 x 12
70 x 15	8,30	■				70 x 15
70 x 20	11,06	■				70 x 20
80 x 5	3,16	■				80 x 5
80 x 6	3,79	■				80 x 6
80 x 8	5,06	■				80 x 8
80 x 10	6,32	■				80 x 10
80 x 12	7,58	■				80 x 12
80 x 15	9,48	■				80 x 15
80 x 20	12,64	■				80 x 20
80 x 30	18,96	■				80 x 30
90 x 8	5,69	■				90 x 8
90 x 10	7,11	■				90 x 10
100 x 5	3,95	■				100 x 5
100 x 6	4,74	■				100 x 6
100 x 8	6,32	■				100 x 8
100 x 10	7,90	■				100 x 10
100 x 12	9,48	■				100 x 12
100 x 15	11,85	■				100 x 15
100 x 20	15,80	■				100 x 20
100 x 30	23,70	■				100 x 30